

Cleanroom / Goggles / 611 POLYCARBONATE AF 121

Weight

128g Direct ventilation, 130g Indirect ventilation

611 Polycarbonate - Clear AF 121 Indirect

Code: 611.S1.00.01 Date: 10-08-25 1/2

Goggles with polycarbonate lens reusable up to 40 autoclave sterilization cycles with steam at 121° C, 1 atm for 30 minutes. The treatment AF121 applied to the lens prevents scratches and fogging at the same time; it can withstand up to 10 steam sterilization cycles.



Frame mark (EU)	Lens mark (EU)	Frame technology
U EN166 3 4 BT 2C-1.2 CE	2C-1.2 U 1 BT K N CE	Interchangeable Lens
Frame material	Fields of use	Lens technology
TPE	Liquids (3), Large dust particles (4)	Anti-Scratch (K), Anti-Fog 121, UV380
Lens color	Lens material	Type of Ventilation
Clear	Polycarbonate	Indirect Ventilation
Frame color	Standards	Scale number
Light blue	EN166, EN170	(2C-1.2)
Mechanical resistance	Optional requirements	Optical class
Medium energy impact (B)	Resistance to surface damage by fine particles (K), Resistance to fogging of oculars (N), Protection against high speed particles at extreme temperatures -5°/+55° C (T)	Optical class (1)



2/2

Cleanroom / Goggles / 611 POLYCARBONATE AF 121

>> https://www.univetsafety.com/en/products/cleanroom/goggles/611-polycarbonate-af-121/611-polycarbonate-clear-af-121-indirect/

Attention! Any images on this page illustrate the frame technologies of the product family in question and may represent frame and lens colours that do not correspond to the product code of the following sheet.

HEADQUARTERS